

511 FreeWeigh



Handheld Weight Indicator Option

Convenient

Lightweight and small enough to put in a pocket, the 511 FreeWeigh works together with the 1155 and 1300 in-cab indicators. Net, load, total, and gross weight are selected and displayed by pressing the mode key. Where the operator needs loaded weight information, the mode key gives the flexibility to display the weight.

Versatile Aid

The 511 FreeWeigh is a robust tool, manufactured in accordance to IP66. Ideal for practically any type of road transport vehicle, where remote weight readings would be an advantage. The 511 FreeWeigh is a radio remote display; it provides drivers with the freedom to weigh the vehicle's payload, zero the display, and print weighing results.

- Displays net, load, gross, and total
- Lightweight
- Convenient pocket size
- Easy-to-read LCD display
- Print and zero function
- Rechargeable, cigar lighter cable included



Airedale House | Canal Road | Bradford BD2 1AG
Ph: +44 (0)1274 771177 | Fax: +44 (0)1274 781178
E-mail: obw.eur@vpgsensors.com

vpgonboard.com

VPG
ONBOARD
WEIGHING

511 FreeWeigh

Suits Any Type of Road Transport Vehicle

Operating on a frequency of 868 MHz, the 511 FreeWeigh has nine selectable frequencies to prevent multi-user cross talk and interference between units. Battery saving procedures within the unit extend battery life.

- PAN-EUROPEAN 868 MHz
- Range up to 50 metres in open terrain
- 15 selectable channels (9 frequencies)
- Uses rechargeable Li-ion batteries
- Intelligent battery charger
- Small and lightweight
- Variable backlight for dimly lit conditions



80 mm

120 mm

Transceivers fitted to the 511 FreeWeigh and cab-mounted indicator provide continuous two-way communication between the driver and vehicle.



1300 Touch Screen Indicator



1155 Indicator

DISCLAIMER: ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE. Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein. VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability. Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com. No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG. The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications. Product names and markings noted herein may be trademarks of their respective owners.